

To: Caporale, Cynthia[Caporale.Cynthia@epa.gov]
From: Wesolowski, Dennis
Sent: Wed 1/15/2014 6:33:43 PM
Subject: RE: 4-Methylcyclohexane Methanol

Thanks, keep me informed. Especially interested since IN asked about it.

Dennis Wesolowski, M.S.
Director, Chicago Regional Laboratory
USEPA Region 5
536 S. Clark St. 10th Floor, ML-10C
Chicago, IL 60605
Phone 312-353-9084
FAX 312-582-5176

-----Original Message-----

From: Caporale, Cynthia
Sent: Wednesday, January 15, 2014 12:31 PM
To: Wesolowski, Dennis
Subject: RE: 4-Methylcyclohexane Methanol

We have been hearing all kinds of things so not really sure what everyone is using. WV State Health Lab is using a direct inject with 8270. There are three other labs involved (2, I think, are contract labs to the water utility) and I had heard they are using the Eastman method. I can send to you in separate email. It is basically GC/FID with dilution in DMF.

We are getting a standard today and will try it out as VOA, SVOA, LC/MS/MS, GC/FID and see how it goes...

-----Original Message-----

From: Wesolowski, Dennis
Sent: Wednesday, January 15, 2014 1:28 PM
To: Caporale, Cynthia
Subject: RE: 4-Methylcyclohexane Methanol

Thanks, I don't know him but you can give him my name if he's interested. Also, do you have a method for this. It looked like the State of WV may have been handling it so far from what I hear in the news. Are you involved?

Dennis Wesolowski, M.S.
Director, Chicago Regional Laboratory
USEPA Region 5
536 S. Clark St. 10th Floor, ML-10C
Chicago, IL 60605
Phone 312-353-9084
FAX 312-582-5176

-----Original Message-----

From: Caporale, Cynthia
Sent: Wednesday, January 15, 2014 12:24 PM
To: Wesolowski, Dennis
Subject: FW: 4-Methylcyclohexane Methanol

Dennis,

Wanted you to know that Indiana lab requested information about the WV Spill related chemicals and Mitt

Denney said he is preparing to analyze samples just in case this impacts their water intakes.

Cindy

-----Original Message-----

From: DENNEY, MITT [mailto:MDENNEY@idem.IN.gov]
Sent: Wednesday, January 15, 2014 12:59 PM
To: Ex. 6 - Personal Privacy @amwater.com
Cc: Caporale, Cynthia; Ex. 6 - Personal Privacy @awwa.org; Ex. 6 - Personal Privacy @amwater.com;
Ex. 6 - Personal Privacy @amwater.com; Wisniewski, Patti-Kay
Subject: RE: 4-Methylcyclohexane Methanol

Just an update, the standard we are getting from Cincinnati Water Works is from TCI (not ITC mentioned in earlier email) and Eastman has finally gotten back with me.

Thank you for your assistance. I am not sure that we will be taking samples but I think we are suitably positioned to respond to any requests from our Evansville facility.

I can follow up if we do or do not sample if anyone wants to know.

Mitt Denney
317-233-0314

-----Original Message-----

From: Ex. 6 - Personal Privacy @amwater.com
Sent: Wednesday, January 15, 2014 12:00 PM
To: DENNEY, MITT
Cc: Caporale.cynthia@epa.gov; Ex. 6 - Personal Privacy @awwa.org; Ex. 6 - Personal Privacy @amwater.com;
Ex. 6 - Personal Privacy @amwater.com; Wisniewski.Patti-Kay@epa.gov
Subject: RE: 4-Methylcyclohexane Methanol

This is sold through Eastman Chemicals. The raw product is a mixture of chemicals, for analytical purposes you will need a standard.

Ex. 6 - Personal Privacy

Director, Innovation & Environmental Stewardship American Water
1025 Laurel Oak Rd., P.O. Box 1770
Voorhees, NJ 08043

Tel:
Cell: Ex. 6 - Personal Privacy
Fax:
e-mail: @amwater.com
Blog: <http://www.facebook.com/pages/American-Water>

Physical Address:
3906 Church Road
Mount Laurel, NJ 08054
Internal Tel: Ex. 6 - Personal Privacy

NOTE: new phone number!

From: "DENNEY, MITT" <MDENNEY@idem.IN.gov>

To: "Ex. 6 - Personal Privacy" <[REDACTED]@amwater.com">
<[REDACTED]@amwater.com>, "Wisniewski.Patti-Kay@epa.gov"
<Wisniewski.Patti-Kay@epa.gov>
Cc: "Ex. 6 - Personal Privacy" <[REDACTED]@amwater.com">
<[REDACTED]@amwater.com>, "Caporale.cynthia@epa.gov" <Caporale.cynthia@epa.gov">
Date: 01/15/2014 11:52 AM
Subject: RE: 4-Methylcyclohexane Methanol

I have been able to acquire some of the raw product. Thank you for your responses.

Mitt Denney
317-233-0314

From: DENNEY, MITT
Sent: Wednesday, January 15, 2014 9:41 AM
To: "Ex. 6 - Personal Privacy" <[REDACTED]@amwater.com">; 'Wisniewski.Patti-Kay@epa.gov'
Cc: "Ex. 6 - Personal Privacy" <[REDACTED]@awwa.org">; "Ex. 6 - Personal Privacy" <[REDACTED]@amwater.com">;
<[REDACTED]@amwater.com">; "Caporale.cynthia@epa.gov" <Caporale.cynthia@epa.gov">
Subject: 4-Methylcyclohexane Methanol

Thank you for the responses. I've been in contact with Test America.
They are running it in Canton, OH and Philly.
They have a contact person:

"Ex. 6 - Personal Privacy" <[REDACTED]@testamericainc.com">

Ex. 4 - CBI

If anyone has any info where I can obtain some raw product, I would appreciate contact info.

Thanks

Mitt Denney
Senior Environmental Manager
Ground Water Section
317-233-0314
317-234-7424, fax
mdenney@idem.in.gov

ÿ